ELUENT 90B 1 / 8

SAFETY DATA SHEET

SDS No. : 105725EU
Issue Date : 11 Jun. 2019
Revision Date : 30 Nov. 2021

Ver.2.0

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : ELUENT 90B

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is applicable for the following purpose of use only. Use exclusive reagents for ADAMS A1c HA-8190V.

1.3 Details of the supplier of the safety data sheet

ARKRAY FACTORY, Inc.

Address : 1480 Koji, Konan-cho, Koka-shi, Shiga 520-3306, JAPAN

Phone : +81-748-86-6901 Facsimile : +81-748-86-5347

European representative

ARKRAY Europe, B. V.

Address : Prof. J. H. Bavincklaan 2, 1183 AT Amstelveen, THE NETHERLANDS

Phone : +31-20-545-2450 Facsimile : +31-20-545-2459

1.4 Emergency telephone number

Emergency phone : +31-20-545-2450 (9:00~17:00)

2. Hazards Identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to REGULATION (EC) No 1272/2008.

2.2 Label elements

The product does not need to be labeled in accordance with EC directives or respective national laws.

2.3 Other hazards

Containing sodium azide, may form toxic and explosive hydorogen azide by reacting with acid.

May form explosive-sensitive azidation with heavy metals (especially lead, silver, mercury or chemical compound of these materials) in the presence of water.

Containing Sodium perchlorate, mixture of dry powder of this product and combustible or metallic powder may explode if shocked or heated.

Sodium azide and Sodium perchlorate contained in this product causes mucous membrane irritation.

ELUENT 90B 2 / 8

3. Composition/information on ingredients

3.2 Mixtures

Component	Conc. [wt%]	Formula	EINECS No.	CAS No.	Classification Regulation(EC) 1272/2008(CLP)
Sodium perchlorate	1 - 5	NaClO ₄	231-511-9	7601-89-0	Ox. Sol 1; H271, Acute Tox. (oral) 4; H302
Phosphate	≤ 2.0	_	_	_	_
Sodium azide	< 0.1	NaN₃	247-852-1	26628-22-8	Acute Tox. (oral) 2; H302, Aquatic Acute 1; H400, Aquatic Chronic 1; H410

4. First aid measures

4.1 Description of first aid measures

General notes

Consult a physician. Show this safety data sheet to the doctor in attendance.

Following inhalation

Remove to casualty to fresh air and keep at rest in a position comfortable for breathing.

Call a doctor/physician if respirative symptom appears.

Following skin contact

Wash immediately with plenty of water and soap.

Get medical attention if skin irritation or rash occurs.

Wash contaminated clothing before reuse.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Call a doctor/physician if eye irritation persists.

Following ingestion

Rinse mouth.

Get medical advice/attention if you feel unwell.

Self-protection of the first aider

Wear protective equipment to avoid contact with skin and eyes.

4.2 Most important symptoms and effects, both acute and delayed

No relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No relevant information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

This product is aqueous solution and non-combustible.

ELUENT 90B 3 / 8

Unsuitable extinguishing media

Not specified

5.2 Special hazards arising from the substance or mixture

May form irritating, toxic or corrosive gas in fire.

5.3 Advice for firefighters

Special firefighting procedures

Remove movable containers from fire occurrence area if safe to do so. Fire-extinguishing work is done from the windward as possible. If immovable, cool containers and surrounding area with water spray.

Special protective equipment for firefighters

When extinguishing fire, be sure to wear suitable personal protective equipment (gloves, goggle, mask, etc.).

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

A worker should wear suitable personal protective equipment (see section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION) to avoid eye or skin contact, or inhalation of gas, mist, etc.

6.1.1 For non-emergency personnel

Stay away from the contaminated area.

6.1.2 For emergency responder

Wear suitable protective equipment.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

6.3.1 For containment:

Stop leak if possible without risk.

6.3.2 For cleans up:

Wash away the area with large amount of water after collecting spilled material. Or wipe up before drying. Wash waste cloth used for cleaning with large amount of water.

6.3.3 Other information:

No relevant information available.

6.4 Reference to other sections

Prevention of secondary hazards

Prevent this product from drying out to avoid deposition of oxidizing substance.

Avoid contact with acid.

For personal protection see Section 8.

For disposal see Section 13.

7. Handling and storage

7.1 Precautions for safe handling

Preventive measures (Exposure Control for handling personnel)

Use suitable protective equipment. For personal protection see Section 8.

Wash hands and gargle after handling. Do NOT eat, drink, or smoke during handling.

ELUENT 90B 4 / 8

Technical measures

Perform engineering control listed in section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION and wear personal protective equipment.

Local ventilation / General ventilation

Handle only in the open air or a well-ventilated area.

Precautions on safe handling

Avoid contact with acid.

Do not handle containers roughly (falling, dropping, giving a shock, etc.).

7.2 Conditions for safe storage, including any incompatibilities

Technical measures

Store only in well-ventilated areas.

Incompatible materials

Avoid contact with acid.

Storage conditions

Protect against direct sunlight.

Keep container tightly closed in 3 to 30°C.

Keep the residuals only in the original container.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure controls/personal protection

8.1 Control parameters

Not set up.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

It is desirable to install local exhaust ventilations.

Install eye wash station and safety shower in every work area this product is handled.

8.2.2 personal protection equipment:

8.2.2.1 Eye/face protection

Wear safety goggles / face-shield.

8.2.2.2 Skin protection

Hand protection

Wear suitable impervious gloves.

Other skin protection:

Wear protective clothing, if necessary.

8.2.2.3 Respiratory protection

Wear suitable mask.

8.2.2.4 Thermal hazards

No information available.

8.2.3 Environmental exposure controls

For environmental exposure controls, see Section 6.2.

ELUENT 90B 5 / 8

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour Colorless
Odour None

Odour threshold No data available Melting point/freezing point No data available

Boiling point and boiling range No data available(Mixture)

100 °C (Water)

Flammability No data available Lower and upper explosion limit No data available

Flash Point This product is aqueous solution and non-inflammable.

Auto-ignition temperature This product is aqueous solution and non-combustible.

Decomposition temperature No data available

pH 7.7~8.3

Kinematic viscosity

Solubility

No data available

Partition coefficient

No data available

n-octanol/water(log value)

Vapour pressure No data available
Density and/or relative density No data available
Relative vapour density No data available
Particle characteristics Not applicable

9.2 Other information

No further relevant information available.

10. Stability and reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under proper conditions.

10.3 Possibility of hazardous reactions

Stable under proper conditions but note the following:

Sodium azide may form toxic and explosive hydrogen azide by reacting with acid. May form explosive-sensitive azidation with heavy metals (especially lead, silver, mercury or chemical compound of these materials) in the presence of water. As mixture of Sodium perchlorate and combustible or metallic powder may explode if shocked or heated, prevent this product from drying out to avoid deposition of Sodium perchlorate.

10.4 Conditions to avoid

Shock, heat

10.5 Incompatible materials

Strong acid

ELUENT 90B 6 / 8

10.6 Hazardous decomposition products

Hydrogen azide

11. Toxicological information

11.1 Information on hazard classes as defined in Regulation(EC) No 1272/2008

Acute toxicity						
Oral	ATEmix >2000mg/kg (calculated toxicity value based on					
	information on ingredients)					
Dermal	ATEmix >2000mg/kg (calculated toxicity value based on					
	information on ingredients)					
Inhalation	Based on available data, the classification criteria are not met.					
Skin corrosion/irritation	Based on available data, the classification criteria are not met.					
Serious eye damage/irritation	Based on available data, the classification criteria are not met.					
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.					
Germ cell mutagenicity	Based on available data, the classification criteria are not met.					
Carcinogenicity	Based on available data, the classification criteria are not met.(
Reproductive toxicity	Based on available data, the classification criteria are not met.					
STOT-single exposure	Based on available data, the classification criteria are not met.					
STOT-repeated exposure	Based on available data, the classification criteria are not met.					
Aspiration hazard	Based on available data, the classification criteria are not met.					

11.2 Information on other hazards

No further relevant information available.

12. Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.(Mixture)

(Sodium perchlorate)

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 1.000 mg/l - 96 h Toxicity to daphnia and static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae static test EC10 - Pseudokirchneriella subcapitata (green algae) ->

435,7 mg/l - 72 h

static test EC50 - Pseudokirchneriella subcapitata (green algae) - >

435,7 mg/l - 72 h

(Sodium azide)

Algae (Pseudokirchneriella subcapitata) ErC50/96H 348µg/L

12.2 Persistence and degradability

Based on available data, the classification criteria are not met.(Mixture)

1% (by HPLC) (Sodium azide)

12.3 Bioaccumulative potential

Based on available data, the classification criteria are not met.(Mixture)

Low residualibity (Sodium azide)

ELUENT 90B 7 / 8

12.4 Mobility in soil

Based on available data, the classification criteria are not met.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

13.1.1 Product/Packaging disposal

if the product is unused, dilute the product with a large amount of water before disposing.

13.1.2 Waste treatment-relevant information

Remove the product from containers completely, and dispose of in accordance with the regulations.

13.1.3 Sewage disposal-relevant information

Do not dump this product into sewers, on the ground or into any body of water.

13.1.4 Other disposal recommendations

If used product, ask a licensed disposal company.

Observe all federal, state, and local environmental regulation.

14. Transport information

14.1 UN number or ID number

ADR/RID: N/A	IMDG: N/A	IATA: N/A
14.2 UN proper shipping name		
ADR/RID: N/A	IMDG: N/A	IATA: N/A
14.3 Transport hazard class(es)		
ADR/RID: N/A	IMDG: N/A	IATA: N/A
14.4 Packing group		
ADR/RID: N/A	IMDG: N/A	IATA: N/A
14.5 Environmental hazards		

14.6 Special precautions for user

ADR/RID: N/A

When transporting, make sure that there are no leaks in the container, load it so that it does not fall over, fall, or be damaged, and make sure to prevent it from collapsing.

IMDG Marine pollutant: N/A

IATA: N/A

14.7 Maritime transport in bulk according to IMO instruments

No relevant information available.

15. Regulatory information

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 (REACH)

ELUENT 90B 8 / 8

- (EC) No 1272/2008 (CLP)
- (EU) No 453/2010
- (EU) No 2015/830
- (EU) 2020/878

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

16. Other information

The date of preparation and revision of the SDS

Ver.1.0	Prepared on 11 June 2019.							
Ver.2.0	Revised on 30 November 2021:	Revised	а	new	format	in	accordance	with
		Regulation(EU) 2020/878.						

Key literature references

Package insert

IMDG Code

IATA Dangerous Goods Regulations

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Not applicable

Further information

The above information contained herein is based on the data available to us and is believed to be correct. However, ARKRAY, Inc. bears no warranty expresses or implies regarding the accuracy of these data or the results to be obtained from the use thereof.

ARKRAY, Inc. assumes no responsibility for injury caused from the use of the product described herein.